Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4913	((382/106,107,108,109,206,255) or (355/26) or (356/2,3,125,152.1, 228,908) or (348/138,139,140,141, 143,159)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR.	OFF	2005/02/22 16:12
L2	2401	1 and (computer$4 or processor$4 or microprocessor$3 or CPU or PC)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 16:12
L3	1985	2 and (memor$4 or stor$4 or database or buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 16:13
L4	1868	3 and (measur$4 or calculat$4 or comput$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 16:14
L5	1624	4 and (camera$4 or video$4 or CCD or captur$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 16:14
L6	1078	5 and distanc$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 16:15
L7	293	6 and calibrat$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 16:15
L8	70	7 and (coplanar or acting or lying)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 16:17

L11	5	8 and (photogrammetric$4 or photogrammet$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 16:24
L12	75	7 and ((rang$4) near4 (devic$4 or apparatus or system))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 16:26
L13	1	12 and ((bear$4) near4 (devic$4 or apparatus or system))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 16:25
L14	3	12 and ((azimuth$4) near4 (devic$4 or apparatus or system))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 16:24
L15	32	7 and (photogrammetric$4 or photogrammet$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 16:24
L16	3	15 and ((azimuth$4) near4 (devic$4 or apparatus or system))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 16:25
L17	1	15 and ((bear$4) near4 (devic$4 or apparatus or system))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 16:25
L18	11	15 and ((rang$4) near4 (devic$4 or apparatus or system))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 16:26

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1417	photogrammetric$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:34
L3	817	1 and (camera$4 or video$4 or CCD or captur$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:36
L4	394	3 and (memory or stor$4 or database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:36
L5	344	4 and (computer$4 or processor$3 or microprocessor$4 or CPU or PC)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:42
L6	341	5 and (calculat$4 or comput$4 or measur$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:36
L7	270	6 and distanc$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:36
L8	169	7 and calibrat$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:37
L9	49	8 and ((rang$4) near4 (devic$4 or system$4 or unit$4 or apparatus$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:40

L10	3	9 and ((bear$4) near4 (devic$4 or system$4 or unit$4 or apparatus$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:40
L11	1	10 and ((azimuth$4) near4 (devic$4 or system$4 or unit$4 or apparatus$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:39
L12	5	9 and coplanar	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:37
L13	220	(382/106).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:46
L14	12	13 and (photogrammetri$4 or photogrammet$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:44
L15	12	14 and (camera$4 or video$4 or CCD or captur$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:36
L16	11	15 and (memory or stor$4 or database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:41
L17	11	16 and (computer$4 or processor$3 or microprocessor$4 or CPU or PC)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:36

L18	11	17 and (calculat$4 or comput$4 or measur$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:41
L19	10	18 and distanc$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:48
L20	8	19 and calibrat$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:42
L21	1	20 and coplanar	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:37
L22	10264	((azimuth$4) near4 (devic$4 or system$4 or unit$4 or apparatus$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:50
L23	660	22 and ((bear$4) near4 (devic$4 or system$4 or unit$4 or apparatus$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:49
L24	230	23 and ((rang$4) near4 (devic$4 or system$4 or unit$4 or apparatus$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:48
L25	131	24 and (memory or stor$4 or database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:47

L26	119	25 and (calculat$4 or comput$4 or measur$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:47
L27	104	26 and (computer$4 or processor$3 or microprocessor$4 or CPU or PC)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:47
L28	30	27 and calibrat$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:48
L29	2	28 and (photogrammetri$4 or photogrammet$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:45
L30	2	27 and (photogrammetri$4 or photogrammet$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:48
L31	4	24 and (photogrammetri$4 or photogrammet$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:45
L32	187928	(382/106).CCLS. or (("355") or ("348") or ("356")).CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:47
L33 ·	58770	32 and (computer$4 or processor$3 or microprocessor$4 or CPU or PC)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:47

L34	51437	33 and (calculat$4 or comput$4 or measur$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:47
L35	37646	34 and (memory or stor$4 or database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:47
L36	18133	35 and distanc$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:48
L37	224	36 and (photogrammetri$4 or photogrammet$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:48
L38	124	37 and calibrat$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:48
L39	39	38 and ((rang$4) near4 (devic$4 or system$4 or unit$4 or apparatus$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:52
L40	2	39 and ((bear$4) near4 (devic$4 or system$4 or unit$4 or apparatus$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:49
L41	6	39 and ((azimuth$4) near4 (devic$4 or system$4 or unit$4 or apparatus$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 15:50

Membership Publications/Services Standards Conferences Careers/Jobs

IEEE *Xplore*®
RELEASE 1.8

Welcome
United States Patent and Trademark Office

» Se.

<u>Help</u> <u>FAQ</u> <u>Terms</u> <u>IEEE Peer Review</u>   **Quick Links** ▾

Welcome to IEEE *Xplore*

○ Home
○ What Can
   I Access?
○ Log-out

Tables of Contents

○ Journals
   & Magazines
○ Conference
   Proceedings
○ Standards

Search

○ By Author
○ Basic
○ Advanced
○ CrossRef

Member Services

○ Join IEEE
○ Establish IEEE
   Web Account
○ Access the
   IEEE Member
   Digital Library

IEEE Enterprise

○ Access the
   IEEE Enterprise
   File Cabinet

Your search matched **1** of **1130773** documents.
A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.

Refine This Search:
You may refine your search by editing the current search expression or enterii new one in the text box.

photogrammetric* <and> database <and> calibrat* | Search |

☐ Check to search within this result set

Results Key:
JNL = Journal or Magazine   **CNF** = Conference   **STD** = Standard

1 **Registration of technical drawings and calibrated images for industr augmented reality**
Appel, M.; Navab, N.;
Applications of Computer Vision, 2000, Fifth IEEE Workshop on. , 4-6 Dec. 20
Pages:48 - 55

[Abstract]   [PDF Full-Text (760 KB)]   **IEEE CNF**

🖶 **Print Format**

<u>Home</u> | <u>Log-out</u> | <u>Journals</u> | <u>Conference Proceedings</u> | <u>Standards</u> | <u>Search by Author</u> | <u>Basic Search</u> | <u>Advanced Search</u> | <u>Join IEEE</u> | <u>Web Account</u> |
<u>New this week</u> | <u>OPAC Linking Information</u> | <u>Your Feedback</u> | <u>Technical Support</u> | <u>Email Alerting</u> | <u>No Robots Please</u> | <u>Release Notes</u> | <u>IEEE Online</u>
<u>Publications</u> | <u>Help</u> | <u>FAQ</u>| <u>Terms</u> | <u>Back to Top</u>